

Secvest Wireless Window Handle Lock F0 400 E – AL0125 (brown)

Art.-Nr. FUFT50051B

Seite 1 von 3



Technical data - Secvest Wireless Window Handle Lock F0 400 E – AL0125 (brown)

Battery - max. battery life	2 years(s)
Battery type	2 x 1.5 V AA alkaline batteries, Varta Industrial / Industrial Pro, Duracell Industrial, Panasonic Powerline
Certifications	VdS
Colour	brown
Compatible with	Secvest, BUM060040
Connections	Clamping terminal
DC power supply	3 V
Detection method	Magnetic field measurement
Dimensions	(WxHxD) 71x210x103 mm
Environmental class	II
Gross weight	1.82 kg
Height	210 mm
Housing material	ABS
Length	103 mm
Max. Air humidity	90 %
Max. Operating temperature	55 °C
Max. Transmit range (free field)	100 m
Max. Transmitting range (building)	30 m
Mechanical protection	Yes
Min. operating temperature	-10 °C
Modulation	FM

Secvest Wireless Window Handle Lock F0 400 E – AL0125 (brown)

Art.-Nr. FUFT50051B

Seite 2 von 3

Technical data - Secvest Wireless Window Handle Lock F0 400 E – AL0125 (brown)

Mounting location	Windows
Net weight	1.682 kg
PSTI conformity needed	No
Product group	Detectors
Radio frequency	868.662 MHz
Radio power	10 mW
Sensor type	Reed contact, magnetic field sensor system
Tamper monitoring	Yes
Technology	Mechatronics
Type of protection	Intrusion protection
VdS approval no.	M 100304
VdS class	Other
Voltage monitoring	Yes
width	71 mm

Technical data - Secvest Wireless Retrofit Kit for F0 400

Battery - max. battery life	2 years(s)
Battery type	2 x 1.5 V AA alkaline batteries, Varta Industrial / Industrial Pro, Duracell Industrial, Panasonic Powerline
Colour	Other
Compatible with	Secvest, BUM060040
Connections	Clamping terminal
DC power supply	3 V
Detection method	Magnetic field measurement
Dimensions	(WxHxD) 120x70x215 mm
Environmental class	II
Gross weight	0.153 kg
Height	70 mm
Housing material	ABS
Length	215 mm
Max. Air humidity	90 %
Max. Operating temperature	55 °C
Max. Transmit range (free field)	100 m
Max. Transmitting range (building)	30 m
Mechanical protection	No
Min. operating temperature	-10 °C
Modulation	FM
Mounting location	Windows

Secvest Wireless Window Handle Lock F0 400 E – AL0125 (brown)

Art.-Nr. FUFT50051B

Seite 3 von 3

Technical data - Secvest Wireless Retrofit Kit for F0 400

Net weight	0.99 kg
PSTI conformity needed	No
Product group	Detectors
Radio frequency	868.662 MHz
Radio power	10 mW
Sensor type	Reed contact, magnetic field sensor system
Tamper monitoring	Yes
Technology	Mechatronics
Type of protection	Intrusion protection
Voltage monitoring	Yes
WEEE group	09
width	120 mm
EAN	4043158064520